

Service Bulletin

Bulletin No. 2012-06 OEM No. 2012-05

Circulate to:

Sales Manager

☐ Accounting

Service Manager

Technician

Parts Manager

All MerCruiser ECT Engines and 8.2 Non ECT Engine Wiring Harness Connections Repair Kits

Models Affected

Models Covered
MerCruiser, MCM, MIE, Bravo, Alpha

Situation

This service bulletin releases the MerCruiser ECT engine and 8.2 non ECT engine wiring harness connection repair kits. These kits can be used for warranty on an engine wiring harness and is an economical alternative repair. These kits are intended to eliminate unnecessary complete engine wiring harness replacement.

NOTE: The engine wiring harness connection repair kit listed in this service bulletin may also fit some older EFI, and some carburetor models and maybe used for out of warranty repairs also.

879346A32

Where Used

Temperature sensors digital coolant CAN 2 terminator exhaust manifold coolant sensor (EMCT), 3.0 Liter temperature switch, 3.0 Liter fuel pump

43166

Ref.	Description	Qty.	Part Number
а	2 pin repair harness	1	NSS
b	Crimp splice 22-18 AWG	2	86-8M0045338

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

Crimp splice 22-18 AWG

b

Where Used

8.2 Liter MAP sensor All three wire sensors

4


86-8M0045338

44971

Ref.	Description	Qty.	Part Number
а	3 pin repair harness	1	NSS
b	Crimp splice 22-18 AWG	3	86-8M0045338

Ref. Description Qty. Part Number A pin repair harness 1 NSS

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.




Where Used

All DTS MCM shift actuator

43170

Ref.	Description	Qty.	Part Number
а	5 pin repair harness	1	NSS
b	Crimp splice 22-18 AWG	5	86-8M0045338

879346A38



Where Used

Paddlewheel/fuel SmartCraft boat harness

43171

Ref.	Description	Qty.	Part Number
а	6 pin repair harness	1	NSS
b	Crimp splice 22-18 AWG	4	86-8M0045338
С	Crimp splice 16-14 AWG	2	86-896711T

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

Where Used

Pitot pressure, block water pressure, oil pressure, throttle position sensor (TPS) mechaincal

43172

Ref.	Description	Qty.	Part Number
а	3 pin repair harness	1	NSS
b	Crimp splice 22-18 AWG	3	86-8M0045338

879346A40

Where Used

Alternator excitation/digital coolant 3.0 Liter distributor

44970

Ref.	Description	Qty.	Part Number
а	2 pin repair harness	1	NSS
b	Crimp splice 22-18 AWG	2	86-8M0045338

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.


Where Used

4.3, 5.0/5.7 and 6.2 Liter ignition coil driver

44978

Ref.	Description	Qty.	Part Number
а	4 pin repair harness	1	NSS
b	Crimp splice 22-18 AWG	4	86-8M0045338

879346A41




Where Used

8.2 Liter cam position sensor

43173

Ref.	Description	Qty.	Part Number
а	3 pin repair harness	1	NSS
b	Crimp splice 22-18 AWG	3	86-8M0045338

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.




Where Used

All DTS electronic throttle control (ETC)

43175

Ref.	Description	Qty.	Part Number
а	6 pin repair harness	1	NSS
b	Crimp splice 22-18 AWG	6	86-8M0045338

879346A48



Where Used

Main power relay Fuel pump relay All trim relay Starter relay


43181

Ref.	Description	Qty.	Part Number
а	Relay base repair harness	1	NSS
b	Crimp splice 22-18 AWG	2	86-8M0045338
С	Crimp splice 16-14 AWG	2	86-896711T

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

This document is provided for the sole and exclusive use of the original recipient as prescribed by Mercury Marine and may not be distributed or copied, digitally or otherwise, without the prior written consent of Mercury Marine.

Page 6 / 17 © 2012 Mercury Marine JUNE 2012 2012-06




Where Used

8.2 Liter, 3.0 Liter fuel injector

43182

Ref.	Description	Qty.	Part Number
а	2 pin repair harness	1	NSS
b	Crimp splice 22-18 AWG	2	86-8M0045338

879346A52



Where Used

3.0 Liter crankshaft position sensor (CPS)

Ref.	Description	Qty.	Part Number
а	2 pin repair harness	1	NSS
b	Crimp splice 22-18 AWG	2	86-8M0045338

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.


Where Used

3.0, 4.3, 5.0, 5.7, 6.2, 8.2 Liter - 14 pin

50808

Ref.	Description	Qty.	Part Number
а	14 pin repair harness	1	NSS
b	Crimp splice 16-14 AWG	14	86-896711T

8M0062010



Where Used

3.0 Liter - Temperature and manifold absolute pressure sensor (TMAP)

50812

Ref.	Description	Qty.	Part Number
а	4 pin repair harness	1	NSS
b	Crimp splice 16-14 AWG	4	86-896711T

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

Where Used

3.0, 4.3, 5.0, 5.7, 6.2, 8.2 Liter- O2 sensor (post O2 catalyst and pre O2 catalyst)

50813

Ref.	Description	Qty.	Part Number
а	4 pin repair harness	1	NSS
b	Crimp splice 22-18 AWG	4	86-8M0045338

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

Where Used

8.2 Liter - Manifold air temperature (MAT) sensor

50816

Ref.	Description	Qty.	Part Number
а	2 pin repair harness	1	NSS
b	Crimp splice 16-14 AWG	2	86-896711T

8M0062015


Where Used

3.0 Liter - O2 mini fuses

50817

Ref.	Description	Qty.	Part Number
а	6 pin repair harness	1	NSS
b	Crimp splice 16-14 AWG	6	86-896711T

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.




Where Used

4.3, 5.0, 5.7, 6.2, 8.2 Liter - Engine mini fuses

0818

Ref.	Description	Qty.	Part Number
а	8 pin repair harness	1	NSS
b	Crimp splice 16-14 AWG	8	86-896711T

8M0062017



Where Used

3.0, 4.3, 5.0, 5.7, 6.2, 8.2 Liter - Cool fuel, fuel pump, 20 amp fuse, 2 amp fuse gear position

50831

Ref.	Description	Qty.	Part Number
а	2 pin repair harness	1	NSS
b	Crimp splice 16-14 AWG	2	86-896711T

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.


Where Used

3.0, 4.3 Liter - Neutral safety, shift interrupt

50832

Ref.	Description	Qty.	Part Number
а	3 pin repair harness	1	NSS
b	Crimp splice 16-14 AWG	3	86-896711T

8M0062019



Where Used

4.3, 5.0, 5.7, 6.2 Liter MPI engines, small block - fuel injector

 Ref.
 Description
 Qty.
 Part Number

 a
 2 pin repair harness
 1
 NSS

 b
 Crimp splice 22-18 AWG
 2
 86-8M0045338

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

Where Used

4.3, 5.0, 5.7, 6.2 Liter MPI engines - ignition coil

50834

Ref.	Description	Qty.	Part Number
а	3 pin repair harness	1	NSS
b	Crimp splice 16-14 AWG	3	86-896711T

8M0062021

Where Used

5.0, 5.7, 6.2, 8.2 Liter - Crankshaft position sensor

 Ref.
 Description
 Qty.
 Part Number

 a
 3 pin repair harness
 1
 NSS

 b
 Crimp splice 22-18 AWG
 3
 86-8M0045338

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.


Where Used

4.3, 5.0, 5.7, 6.2 Liter MPI engines - TMAP sensor

50836

Ref.	Description	Qty.	Part Number
а	8 pin repair harness	1	NSS
b	Crimp splice 16-14 AWG	4	86-896711T

8M0062023




Where Used

3.0, 4.3, 5.0, 5.7, 6.2, 8.2 Liter MPI engines - transom

50837

Ref.	Description	Qty.	Part Number
а	16 pin repair harness	1	NSS
b	Crimp splice 16-14 AWG	16	86-896711T

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.



Where Used


3.0 Liter TKS engines - Oil pressure switch

 Ref.
 Description
 Qty.
 Part Number

 a
 3 pin repair harness
 1
 NSS

 b
 Crimp splice 22-18 AWG
 3
 86-8M0045338

8M0062025



Where Used

 $3.0,\,4.3,\,5.0,\,5.7,\,6.2,\,8.2$ Liter, 8.2 (all DTS) - CAN 1 (P) and CAN (H) resistors

50839

Ref.	Description	Qty.	Part Number
а	10 pin repair harness	1	NSS
b	Crimp splice 16-14 AWG	7	86-896711T

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.


Where Used

CAN 1 terminator

43160

Ref.	Description	Qty.	Part Number
а	10 pin repair harness	1	NSS
b	Crimp splice 22-18 AWG	5	86-8M0045338

8M0062026



Where Used


3.0, 4.3, 5.0, 5.7, 6.2, 8.2 Liter mechanical - IAC

 Ref.
 Description
 Qty.
 Part Number

 a
 2 pin repair harness
 1
 NSS

 b
 Crimp splice 16-14 AWG
 2
 86-896711T

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.



Warranty

United States and Canada: Mercury Marine will credit the dealer for the cost of labor and parts.

Submit a warranty claim through your normal warranty-processing channel, listing:

MerCruiser engine serial number

Labor: 0.40 hourFlat rate code: ME99Part code: 331

Failure code: 00

Outside the United States and Canada: Follow instructions issued by your local office or by your distributor. Old parts:

United States and Canada: Scrap

• Outside the United States and Canada: Follow instructions issued by your local office or by your distributor.